

GETCERTKEY



GETCERTKEY

100% guarantee you pass IT cert exam!

Instant Update

We are checking our exam questions all the time.



Security & Privacy



24/7 customer support

Free Demo Download

Try before you buy, Download a free sample of any of our exam questions and answers.



One Year Free Update

Free update is available within One Year after your purchase.



<http://www.getcertkey.com>

No help, Full refund!

Exam : **210-010**

Title : VCE Vblock Systems
Deployment and
Implementation - Core Exam

Vendor : VCE

Version : DEMO

NO.1 During a Vblock System logical build, which three configuration changes require Unified Computing System Manager (UCSM) access? (Choose three.)

- A. fabric interconnect interfaces
- B. ESXi host Network Time Protocol
- C. service profiles
- D. Cisco Nexus 1000V
- E. UCS Smart Call Home

Answer: A,C,E

NO.2 During a Vblock System logical build, which two management components within Unified Computing System Manager (UCSM) require configuration with an IP address? (Choose two.)

- A. fabric extender
- B. fabric interconnect
- C. UCSM
- D. Cisco Nexus 5108 chassis

Answer: B,C

NO.3 For bare metal deployments, which statement ensures VCE is able to provide reasonable-effort support?

- A. The ratio of bare metal to virtualized hosts cannot be more than 40 percent.
- B. A minimum of five virtualized hosts must be enabled.
- C. Bare metal workloads are run on separate physical spindles, disk groups, and pools.
- D. Systems cannot include hypervisor technologies other than VMware.

Answer: C

NO.4 After the installing the Cisco Nexus 1000V, the administrator uses the command show svcs connections.

This command shows the connection status of which component?

- A. ESXi host
- B. vCenter server
- C. Secondary Virtual Supervisor Module
- D. VMware Update Manager (VUM)

Answer: B

NO.5 During a Vblock System 320 deployment, the customer wants to disassociate four half-width blades in a single chassis for a future project.

Which tool is used to perform this compute reconfiguration?

- A. vSphere
- B. CIMC
- C. Unisphere
- D. UCSM

Answer: D

NO.6 On a Vblock System 320, each VMware ESXi host will boot from a SAN-attached boot drive presented from the EMC VNX array.

Which statement is true according to VCE standards for boot LUNs?

- A. Use Fibre Channel drives to create a RAID group, use RAID-5 4+1 RAID group, then create a 20 GB LUN.
- B. Use Fibre Channel drives to create a RAID group, use RAID-5 7+1 RAID group, then create a 20 GB LUN.
- C. Use SAS drives to create a RAID group, use RAID-5 4+1 RAID group, then create a 20 MB LUN.
- D. Use SAS drives to create a RAID group, use RAID-5 4+1 RAID group, then create a 20 GB LUN.

Answer: D

NO.7 Which protocol is used to provide unified file storage connectivity to a Vblock System 320?

- A. FCoE
- B. IP
- C. iSCSI
- D. FC

Answer: B

NO.8 Which component connects a Vblock System 720 to a customer's network aggregation layer?

- A. Cisco Nexus 5548UP
- B. Cisco Catalyst 3750-X
- C. Cisco MDS 9148
- D. Cisco UCS Fabric Interconnect 6296UP

Answer: A

NO.9 An ESXi host connected to a Vblock System 720 storage array requires a new 2 TB LUN.

According to VCE best practice, which type of device must be created to add to the host?

- A. 4 member striped meta
- B. 4 member concatenated meta
- C. 8 member striped meta
- D. 8 member concatenated meta

Answer: C

NO.10 What are three requirements of the Vblock System test plan? (Choose three.)

- A. All tests identified in the test plan must be executed.
- B. Observed results must be documented by a VCE certified resource.
- C. Tests are confidential and must not be performed in view of the customer.
- D. Once tests are completed, the customer must sign the test plan document.
- E. A completed test plan must be submitted to the VCE project manager.

Answer: B,D,E

NO.11 You are deploying a Vblock System and you are unable to log in to the vCenter server using single sign-on (SSO).

Which two steps should be verified? (Choose two.)

- A. Log in credentials are correct.
- B. vCenter server is licensed.
- C. vCenter services are started.
- D. The single sign-on server is licensed.

Answer: A,C

NO.12 Which three VLANs are required during the implementation of the Cisco Nexus 1000V in Layer 2 mode? (Choose three.)

- A. native VLAN
- B. control VLAN
- C. management VLAN
- D. system VLAN
- E. packet VLAN

Answer: B,C,E